

MAFFS SEALS PVT. LTD.

We seal everything including your confidence




MECHANICAL SEAL & SEAL SUPPORT SYSTEM



DOUBLE MECHANICAL SEALS FOR ANFD

MSANFD



PRODUCT FEATURES

- Dual Balanced
- Solid antifriction linear bearings integral with the sleeve
- Heavy duty sturdy design with two taper roller bearings
- Special grade hard faces, Free from particle shredding
- Bellow assembly with long fatigue life

APPLICATIONS: (Typical Industrial)

- Agitated Nutsche Filters & Dryers
- Rotary vacuum paddle dryers
- Horizontal Reactors with Expanding shafts

OPERATING CONDITIONS :

- Shaft diameter : 60....150mm
- Pressure: Vacuum: 7 bar (max)
- Temperature: -80....+200°C
- Speed : 1 m/s

FACE MATERIALS: (Combination)

- SIC/SIC, CARBON/SIC


METAL PARTS:

- SS 316/ HAST-C-22, HAST-C-276

ELASTOMERS:

- VITON/ PTFE/ STV/ FFKM/ AFLAS/ EPR

SEAL SIZE	Ød	Ød4	L	L1
0952/0825 (0600)	60.0	222.0	265.0	50.0
1238/1016 (0800)	80.0	247.0	295.0	50.0
1397/1270 (1000)	100.0	282.0	325.0	51.5
1524/1333 (1100)	110.0	302.0	330.0	52.0
1587/1460 (1200)	120.0	312.0	335.0	53.0
1714/1524 (1300)	130.0	332.0	355.0	52.0
1778/1651 (1400)	140.0	352.0	345.0	52.0
1905/1778 (1500)	150.0	372.0	365.0	52.0



MAFFS SEALS PVT. LTD.

We seal everything including your confidence




For more details contact at:

+919820568022

sales@maffsseals.com

www.maffsseals.com

Follow us at:



Factory Address:

Gala No. 72, Shorab Compound, R. M. Road,
Oshiwara, Jogeshwari (W), Mumbai - 400102

Regd Office:

303, Badhra Apartment, Western Park, Misquita Wadi,
Western Express Highway No. 8, Mira Road (East) Dist. Thane 401107, India.